

Index

AI, *see* Artificial Intelligence

ALIBABA, 22, 23, 33, 59

ancestor, 10

Andersson, 26

Artificial Intelligence, 1–3

B* algorithm, 69

base node, 89

BCH code, 15

birthday paradox, 21

bound value, 42

BPIP, 87

bridge, 167

BTA algorithm, 88–104, 109

BTM, 11

checkers, 1, 2

chess, 1–3, 5, 6, 10, 13–15, 17, 18, 20,
22, 26, 29, 33–40, 42, 43, 45,
47–49, 58, 61, 66, 82, 84, 88,
95, 102, 107, 110, 111, 113,
117, 121–128, 159, 160, 167

child, 10

CHINOOK, 1, 2

clash, *see* type-2 error

collision, *see* type-2 error

concept

Big, 32, 107

Deep, 31, 108

New, 31

Old, 32

Two-level, 32

connect-four, 4

CRAY BLITZ, 16, 18

crosscram, *see* domineering

DAG, *see* Directed Acyclic Graph

DCG, *see* Directed Cyclic Graph

DEEP BLUE, 2, 29

DEEP THOUGHT, 29

depth

node, 10

tree, 11

descendant, 11

Directed Acyclic Graph, 87

Directed Cyclic Graph, 84

disproof number, 52

disproof set, 52

disproved, 52

DOMI, 26, 27, 41

domineering, 1, 3, 5, 15, 22, 26, 30,
33, 34, 38, 40–42, 47, 48, 107,
110, 126, 127, 159, 161, 163,
165, 167

dominoes, *see* domineering

double hashing, 19

DUCHESS, 46

DUCK, 59

edge, 10

ELO rating, 27

endgame, 30

errors

expected number of, 21

probability of, 20

evaluation

delayed, 52, 70

immediate, 52, 54, 70

evaluation function, 11

evaluation problem, 82

exact value, 42

- fraction function, 72
- game tree, 10
 - minimal, 10
- game-theoretic value, 10
- games, 1–3, 107
 - impartial, 30
 - partizan, 30
- GHI problem, *see* graph-history-interaction problem
- go-moku, 4
- graph-history-interaction problem, 6, 14, 81, 105, 109
- hash index, 16
- hash key, 16
- hash table, 14
- hash value, 14–16, 24
- hashing
 - in chess, 15
 - in domineering, 15
- history heuristic, 23
- interior node, 10
- Kasparov, 2, 29
- knowledge, 3
 - directing, 4, 16, 17, 72, 108
 - terminal, 4
- LACHEX, 15
- Lafferty, 2
- leaf, 10
- LOGISTELLO, 2
- losing move, 27
- memory, 1, 4, 107
 - additional, 47
- middle game, 29
- most-proving node, 54
- move-generation problem, 82
- MTD(f), 13
- Murakami, 2
- nim, 3
- nine men's morris, 4
- node, 10
 - AND, 11
 - OR, 11
- node expansion, 10
- Othello, 2
- overflow, 19
- parent, 10
- path, 10
- ply, 11
- possible-draw, 89
- possible-draw depth, 89
- principal variation, 11, 46
- problem statement
 - first, 5, 9, 107
 - second, 5, 69, 108
 - third, 6, 83, 109
- proof number, 52
- proof set, 52
- proved, 52
- pseudo-code
 - BTA algorithm, 95
 - proof-number search, 54
- qubic, 3
- quiescence search, 22
- real move, 26
- refutation table, 23
- replacement scheme, 20, 31, 107
- root, 10
- RSEARCH algorithm, 69
- safe move, 26
- schaken, 164
- scheme
 - BIG1, 32
 - BIGALL, 32
 - DEEP, 31
 - NEW, 31
 - OLD, 32
 - one-level, 107
 - two-level, 107
 - TWOBIG1, 32

- TwoDEEP, 32
- search, 1, 3, 107
 - $\alpha\beta$, 5, 11, 22
 - best-first, 4, 12
 - breadth-first, 4, 11
 - brute-force, 4
 - conspiracy-number, 51, 61, 64
 - depth-first, 4, 11
 - full-width, 4
 - pn, *see* proof-number search
 - pn², 5, 69–79, 108
 - proof-number, 5, 13, 51–66
- search tree, 10
- sibling, 10
- sokoban, 38
- solved, 52
- solving domineering, 40
- SSS* algorithm, 13
- subtree, 11

- terminal node, 10
- terminal position, 10
- test set
 - chess, 29
 - domineering, 30
 - proof-number search, 58
- THE TURK, 63
- tic-tac-toe, 3, 30, 88
- time stamping, 33, 37
- Tinsley, 1, 2
- trade-off
 - knowledge versus search, 1, 3
 - memory versus search, 4, 109
 - space versus time, 3
- transposition, 6, 13, 65, 81
- transposition table, 5, 13, 107
 - implementation, 24
 - traditional, 17
- twin node, 89
- type-1 error, 20
- type-2 error, 20

- variation, 11

- winning move, 27

- World Champion
 - checkers, 1
 - chess, 2, 29
 - Othello, 2
- WTM, 11

- ZUGZWANG, 15

